




SPECIALTY INKS

PolyOne Specialty Inks is a leading global manufacturer of screen printing inks for the textile industry and of specialty inks for industrial applications. With our 5 brands,

Wilflex™, Rutland™, Union Ink™, Printop™, and QCM™ we are recognized as a leader in our markets with a deep focus on quality, innovation, and customer service.



Our Wilflex and Rutland brands first emerged in the early 1960s, when screen printing on T-shirts was gaining popularity for self-expression, affording us global recognition, and allowing us to develop products making the screenprinting process easier, more attractive and more profitable. The addition of the Rutland Group in 2017 allowed us to further continue our focus to become an innovative leader in specialty inks.



SOME OF OUR FIRSTS

- Development of the industry's first plastisol color mixing system for screen printing ink
- Introduction of the first automated ink dispensing equipment

OUR SPECIALTY INKS

- Broadest range of specialty screen printing inks, including: non-phthalate PVC plastisol, water-based, silicone, and non-PVC plastisol
- Ink room solutions including inventory management software
- Strong expertise in R&D and product development
- Demonstrated technical service and color matching capabilities
- Highly efficient manufacturing operations
- Global manufacturing footprint and customer reach

OUR BRANDS

- **Wilflex** is a leading brand of specialty screen printing inks with a focus on total ink-room management, providing the most efficient, cost-effective environment possible
- **Rutland** is a leading brand of specialty screen printing inks for the textile industry with a strong commitment to making the screen printing process easier, more attractive and more profitable for customers
- **Union Ink** is a brand dedicated to providing the broadest range of innovative and inspired screen printing inks with the highest opacity mixing systems in the market
- **Printop** is a leading brand of textile screen printing inks in Latin America including plastisols, water-based, and discharge inks
- **QCM** is a trusted brand of cost-effective, high quality inks for one of the most recognizable products in the world, the printed t-shirt

SPECIALTY INKS GLOBAL FOOTPRINT

- Five manufacturing facilities in Kennesaw, Georgia; Pineville, North Carolina; Lima, Peru, Shenzhen, China; and Mumbai, India (JV)
- Warehouse and distribution facilities in Georgia, North Carolina and Ohio in the US, Paddock Wood and Widnes, U.K., and Singapore
- Global presence of distributors located in over 60 countries

Specialty Inks
Global Headquarters
and Manufacturing Plant
8155 Cobb Center Drive
Kennesaw, GA 30152
Phone: +1 800.326.0226

Wilflex Warehouse
Knowsley, Merseyside, L34 9GT
Unity Grove, Knowsley Business Park
Phone: +44 151 547 3800

Rutland Manufacturing Plant
10021 Rodney Street
Pineville, NC 28134
Phone: +1 704.553.0044
Toll Free: +1 800.438.5134

Union Ink Manufacturing Plant
10021 Rodney Street
Pineville, NC 28134
Phone: +1 704.553.0046
Toll Free: +1 800.438.5134


QCM Manufacturing Plant
10021 Rodney Street
Pineville, NC 28134
Phone: +1 704.553.0046
Toll Free: +1 800.438.5134

Printop Manufacturing Plant
Sociedad Química Alemana S.A.
Av. Revolución 842, Zona Industrial
Ventanilla - Callao, Lima - Perú
Phone: +51.1.613.4242

Rutland/Union Ohio Service Center
777-M-N Dearborn Park Lane
Worthington, OH 43085
Phone: +1 614.846.3055

Rutland/Union Warehouse
28 Eldon Way
Paddock Wood
Kent TN12 6BE UK
Phone: +44.0.1892.834.555

Rutland/Union/Wilflex
Manufacturing Plant
No. 1 QiHang Industrial Park
HaoXiang Road, Shajing Town,
BaoAn District
Shenzhen, China, 518104
Phone: +86.755.2969.2888



www.polyone.com

PolyOne | Specialty Inks

Copyright © 2018, PolyOne Corporation. PolyOne makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. PolyOne makes no warranties or guarantees respecting suitability of either PolyOne's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. POLYONE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.